
WHEEL LOADER BOOM ATTACHMENTS







BUILDING THE BEST.

At Diamond Mowers, we build the best. By that, we mean the toughest, safest, and most reliable products in the industry.

We continuously enhance our products with designed innovation and a keen understanding of the customer application. We don't build what we want, we build what you need – durable, dependable and effective boom mower products.

With exceptional customer service and our strong reputation, we'll continue to build the best.



SELF-CONTAINED

AVAILABLE LENGTHS 23-FT, 25-FT

Install this diesel-powered, self-contained hydraulic system onto your existing wheel loader and get to work.

Fully self-contained with independent power, electrical and hydraulic systems, you can trim trees branches, cut brush or grass - and do it all with the efficient quality of a Diamond.

LOADER POWERED



23-FT, 25-FT

With no additional engine to maintain, this mower can be easily converted in the field to trim tree branches, cut brush or grass – and do it all from either the left or right hand side.

CUTTING HEADS

At Diamond, we find the smartest ways to enhance the resources you already own.

Our Wheel Loader Booms are the perfect example of how we construct a powerful addition for your toolbox.



- Available in **50**" and **60**" cutting widths
- Cuts up to 4" material continuously and
 8" intermittently
- Proprietary Tri-Hex disc provides greater inertia in tough conditions - 5YR WARRANTY*



- Available in 44", 50" and 63" cutting widths
- See chart on back for cut capacities
- Ideal for a finished look
- Ground rollers require no daily maintenance
 - Applies to 44" and 50" models only



- 36" cutting width
- Cuts up to **8**" material and mulches up to **5**"
- Mulches material with hardened steel, replaceable teeth
- 10x faster than rotary mower



- 48" cutting width
- Cuts up to **10**" material
- Slices material with replaceable carbide teeth
- Delivers a clean, finished cut



- 22" cutting width
- Ideal for ditches and culverts
- Uses three **3/8**" thick replaceable knives
- Equipped with hydraulic chute to direct exhausted material



⊈ LEAVE IT!

<complex-block>


- Ergonomically designed to decrease operator fatigue
- Improved operator's reaction time in tougher terrain
- Digital configurable gauge cluster
- Wire harnesses equipped with strain relief to ensure a durable connection




- Provides breakaway protection in both forward and reverse
- Fully enclosed with fewer moving parts for easy maintenance
- Larger range of motion than traditional swing cylinder



- Available for 50" and 60" Rotary Mowers and 50" Flail Mower
- Exposes blade to easily feed material
- 📀 Options available at an additional cost



- John Deere, 74 hp
- No DEF fluid
- Easy access for parts and service support



- Allows in cool air while keeping debris out
- Protects the engine and hydraulic components from debris
- Easy access for routine maintenance and service



HOW DO THEY ALL COMPARE?

CUTTING HEAD

50" ROTARY MOWER

60" ROTARY MOWER

44" FLAIL MOWER

50" FLAIL MOWER

63" FLAIL MOWER

36" FORESTRY DISC MULCHER

48" SAW BLADE

22" DITCHER

FEATURES

Cuts up to 4" material continuously and 8" intermittently

Cuts up to 4" material continuously and 8" intermittently

Cuts up to 3" material continuously and 6" intermittently


Cuts up to 3" material continuously and 6" intermittently

Cuts grass continuously and 2" brush intermittently

Cuts up to 8" material and mulches up to 5"

Cuts up to 10" material

Includes three 3/8" thick replacable knives



THE DIAMOND DIFFERENCE



CONTACT US:

+1 605.977.3300

Info@DiamondMowers.com

www.DiamondMowers.com